



Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200 Standard must be
 consulted for specific requirements.

U.S. Department of Labor
 Occupational Safety and
 (Non Mandatory)
 Form Approved 1920-85
 OMB No. 1218-0072

| | | | | | |
|---|--|--|--------------------------------------|---|--------------|
| IDENTITY (As Used on Label and List) FASTORQ 70+ | | <i>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</i> | | | |
| SECTION I | | | | HMIS Rating | |
| Manufacturer's Name FASTORQ | | Emergency Telephone Number 1.800.231.1075 or 281.449.6466 | | H 1 | |
| Address (Number, Street, City, State, and ZIP Code) P.O. Box 60869 AMF | | Telephone Number for Information 1.800.231.1075 or 281.449.6466 | | HEALTH F 1 | |
| Houston, TX 77205-0869 | | Date Prepared May 15, 2008 | | FLAMMABILITY R 0 | |
| | | Prepared By (signature optional) George A. Sturdevant | | REACTIVITY | |
| SECTION II- Hazardous Ingredients/Identity Information | | | | | |
| Hazardous Components (Specify Chemical Identity; Common Names(s)) | | OSHA PEL | ACGIH TLV | Other Limits Recommended | % (optional) |
| Balance of product is considered non-hazardous per U.S. Department of labor OSHA criteria re:29 CFR 1910.1200 Hazard Communication Standard. | | | | | |
| SECTION III- Physical/Chemical Characteristics | | | | | |
| Boiling Point >600° F | | Specific Gravity 2.056 | | | |
| Vapor Pressure N/A | | Melting Point N/A | | | |
| Vapor Density Lighter than air | | Evaporation Rate N/A | | | |
| Solubility in Water Not Soluble in Water | | | | | |
| Appearance and Odor Gray semi-solid with mild mineral oil odor. | | | | | |
| SECTION IV-Fire And Explosive Hazards | | | | | |
| Flash Point 520° F | | Flammable Limits N/A | | LEL N/A | UEL N/A |
| Extinguishing Media- CO2, Foam and Dry Chemical, and Water Fog Extinguishers may be used. | | | | | |
| Special Fire Fighting Procedures Use Self Contained Breathing Apparatus when fighting fire in confined spaces. | | | | | |
| Unusual fire and explosion hazards Avoid fumes of burning product. | | | | | |
| SECTION V- Reactivity Data | | | | | |
| Stability | | Unstable | | Conditions to avoid Exposure to strong acids or oxidizers. Extreme heat. | |
| | | Stable | X | | |
| Incompatibility Strong acids, Oxidizers, Reactive substances | | | | | |
| Hazardous Polymerization | | May Occur | | Conditions to Avoid | |
| | | Will not occur | X | None | |
| SECTION VI- Health Hazard Data | | | | | |
| Routes of Entry | | Inhalation? Not Applicable | Skin? Can be exposed through skin | Ingestion? Slight Hazard | |
| Health Hazards Prolonged or repeated skin contact with this product tends to remove skin oils, possibly leading to irritation and dermatitis. | | | | | |
| Carcinogenicity? | | NTP? Not Listed | IARC Monographs? Not Listed | OSHA Regulations? Contains chemicals subject to reporting. | |
| Signs and symptoms of Exposure None Expected | | | | | |
| Emergency and First Aid Procedures: <u>Eye Contact:</u> For direct contact, flush with water for 15 minutes. Seek medical attention. <u>Skin Contact:</u> Remove contaminated clothing. Clean affected area with soap and water. If irritation or redness persists, seek medical attention. <u>Ingestion:</u> Induce vomiting and give 1 or 2 glasses of water. <u>Inhalation:</u> Remove to fresh air. Seek medical attention if necessary. | | | | | |
| SECTION VII- Precautions for Safe Handling and Use | | | | | |
| Steps to be taken in case material is released or spilled Recover free product. Apply sand, earth or other suitable absorbent. Keep product out of sewer and other waterways. | | | | | |

| | | |
|--|--|-----------------|
| Waste Disposal Method Dispose of waste in accordance with all applicable regulations. Do not flush into sewer, drain or stream. | | |
| Precautions to Take with Handling and Storage Store in a cool, dry area in original container. Do not apply heat or flame to container. | | |
| Other Precautions Keep container closed when not in use. Keep away from children. If prolonged or repeated skin exposure is likely, oil impervious gloves should be worn. | | |
| SECTION VIII- Control Measures | | |
| Respiratory Protection No special requirements | | |
| Ventilation | Local Exhaust Acceptable | Special None |
| | Mechanical Exhaust Acceptable | Other None |
| Protective Gloves Oil impervious gloves recommended | Eye Protection Approved eye protection to protect against potential eye contact is recommended. | |
| Work/Hygienic Practices Good work practices should always be followed. | | |
| SECTION IX- Disclaimer | | |
| Information given herein is offered in good faith as accurate. Conditions of use and suitability of this product for particular uses are beyond our control. Users should make their own investigations to determine the suitability of the information or products for their respective purposes. | | |